

## Demaria-Lapierre Monte-Carlo Special

---

Fabricant (si # de la marque) :		Pays de fabrication :	France
Début de fabrication :	1948	Fin de fabrication :	0
Rareté :	Rare	Page du McKeown :	700
Type d'appareil :	Folding		

### Film

---

Type de film :	120	Nombre maxi de vues :	8
Format :	6 x 9 cm	Format :	
Format :		Format :	
Avancement :	Molette/CIÃ©	Position :	Sur le cotÃ©
Rembobinage :	Non	Position :	-

### Exposition

---

Cellule :	Non	Position :	
Sensibilité :			

### Obturateur

---

Marque de l'obturateur :	Gauthier (AGC)	Modèle de l'obturateur :	
Type d'obturateur :	Central	Vitesses :	1/25 Å 1/125, B, T

### Objectif

---

Type d'objectif :	Standard	Montage de l'objectif :	Fixe
Marque de l'objectif :	Demaria-Lapierre	Modèle de l'objectif :	Manar
Monture d'objectif :		Mode de map :	
Focale :	110 mm	Ouverture maxi :	3,5

### Divers


---

Type de pile :			
Forme du soufflet :	Conique	Couleur du soufflet :	Noir
Décentrement vertical :	Non	Décentrement horizontal :	Non
Type de viseur :	Externe fixe	Second viseur :	

Il s'agit de la version exportée vers les Etats-Unis du Demaria-Lapierre Dehel. Des explications supplémentaires sont données sur la page du Monte-Carlo Spécial 4,5.

[www.collection-appareils.fr](http://www.collection-appareils.fr)

[www.collection-appareils.fr](http://www.collection-appareils.fr)



## Any of These Compact Folding Cameras

**E** UNIVERSAL ROAMER II WITH 4.5 LENS. New, compact and handy camera with built-in flash synchronization and a lens and shutter combination that will cover most of your picture-taking needs. Coated 1/4.5 color corrected lens and automatic self-cocking shutter with speeds from 1/25 to 1/200 of a second plus bulb. Sliding film viewer cover on back of camera. Takes either 620 or 120 film. Built-in cable release socket. Trigger type shutter release. Two tripod sockets aid firm holding on horizontal or vertical shots.

LENS—Coated, 1/4.5 anastigmat color corrected—focuses from 4 feet to infinity. SHUTTER—Automatic, self-cocking type—four shutter speeds, 1/25, 1/50, 1/100, 1/200, plus bulb. Built-in flash synchronization—uses the Universal flashgun on Page 34. FINDER—Telescopic eye level view finder and waist level view finder. FILM—Eight exposures, 2 1/4 by 3 1/4 inches, on 120 or 620 film. CONSTRUCTION—All aluminum die-cast construction with Vinylite, all-weather covering, measures about 6 1/2 by 3 1/2 by 1 3/4 inches. Actual weight about 1 lb. 5 oz. LENS MOUNT DIAMETER—1 3/16 in. (33 mm.). Postpaid.

67 HN 128—Camera only, without case. No charge for credit. . . . . 48.00  
67 HN 127—Brown leather ever-ready case for above camera. . . . . 7.50

**F** ANSCO SPEEDEX JR. A good camera for the young or beginning photographer for it's easy to use, light, compact, and handy. It takes good pictures with a minimum of photographic know-how. No focusing is required as fixed focus lens takes pictures from 8 feet to infinity. Four lens openings for different light conditions. Durable body with waterproof covering. Snap action front opens to picture taking position allowing you to take a picture quickly—all you need to do is set your lens to correct opening.

LENS—F/11 double meniscus, fixed focus. Stops down to 1/32, focuses from 8 feet to infinity. SHUTTER—Snapshot speed, (about 1/30 second) and time. FINDER—Enclosed eye-level optical view finder. FILM—takes twelve 2 1/4 by 2 1/4 inch pictures to roll of 120 or B2 film, color or black and white. CONSTRUCTION—Durable body with waterproof, rib-grained covering, measures about 5 1/4 by 3 1/4 by 1 1/2 inches when folded. Actual weight of camera is approximately 1 lb. 4 oz. LENS MOUNT DIAMETER—1 1/16 inches (27 mm.). Only \$2.30 down, No charge for credit. Postpaid.

67 HN 121—Camera only. . . . . 22.70  
67 HN 115—Brown leather ever-ready carrying case. . . . . 4.98

**G** MONTE CARLO SPECIAL. Made in France. Easy-to-use exposure calculator, built-in flash synchronization, and delayed action shutter that lets you get into the picture. Set exposure calculator for shutter speed you want—then read the lens opening in the window. Smooth shutter release.

FINDERS—waist level type and eye level metal frame. FILM—Eight exposures, 2 1/4 by 3 1/4 inches on 120 film. CONSTRUCTION—metal body, measures 6 by 3 1/8 by 1 3/8 inches folded. Actual weight, 23 ounces.

67 H 129 L—With 1/3.5 lens. Helical screw focusing, 8 shutter speeds from 1 to 1/200 sec., plus time and bulb. Lens mount diameter, 1 1/4 inches (32 mm.). Ship. wt. 2 lbs. \$6 down, \$6 monthly. . . . . or Cash 59.95

67 H 3285—Mendelsohn Flashing Unit to fit above camera. Wt. 2 lbs. 14.50

67 H 130 L—Similar to above but with 1/4.5 lens and lens mount focusing. Does not have built-in flash synchronization. 4 shutter speeds from 1/25 to 1/125 second plus time and bulb: Lens mount diameter—1 3/8 inches (33 mm.). Ship. wt. 2 lbs. \$4.45 down, \$5 monthly. . . . . or Cash 44.50

67 H 131—Leather sheath case for above cameras. Ship. wt. 1 lb. . . . . 5.75

**H** ANSCO TITAN (also pictured on front cover). New, high quality folding camera with a colored depth-of-focus scale on the lens mount. Gives you a quick reading of depth-of-focus at various distances and lens openings. Extremely accurate shutter has a wide range of speeds from 1 second to 1/400 second, plus time and bulb—allows the correct speed for practically all subjects. Built-in flash synchronization giving you good flash pictures all the time—whether indoors or outdoors. See story on advantages of flash synchronized shutters on Page 11.

LENS—Fast, 1/4.5 coated, color corrected lens, stops down to 1/22. Focuses 3 1/2 ft. to infinity. SHUTTER—Eight speeds, plus time and bulb. Body release and cable release socket. Built-in flash synchronizer uses Kodak Flashholder on Page 34. FINDER—Optical type eye-level viewer. FILM—Twelve exposures, 2 1/4 by 2 1/4 inches, on 120 film. CONSTRUCTION—All metal, with genuine leather covering. Chrome trim. Measures about 5 1/2 by 3 3/8 by 1 1/2 inches. Actual weight about 31 oz. Lens mount diameter—1 1/32 inches (26 mm.).

67 HN 123 L—Camera with brown leather ever-ready case. Postpaid. 96.86

DO NOT ORDER BEFORE JULY 15.

Page 4/4. Version 1.0 - Réproduction interdite sans autorisation du propriétaire de www.collection-appareils.fr